Material Safety Data Sheet

D-Force Insecticide

SDS #: 7099-A

Revision Date: 2012-10-10

Version 2



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name D-Force Insecticide

Active Ingredient(s) Deltamethrin

Synonyms (1R,3R)-3(2,2-dibromovinyl)-2,2-dimethylcylcopropane carboxylic

Chemical Family Pyrethroid Ester Insecticide

Recommended use Insecticide

Manufacturer Emergency telephone number

FMC Corporation

Agricultural Products Group For leak, fire, spill or accident emergencies, call: 1735 Market Street +1 800 / 424 9300 (CHEMTREC - U.S.A.)

Philadelphia, PA 19103 +1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

General Information: Medical Emergencies:

Phone: (215) 299-6000 (800) 331-3148 (U.S.A. & Canada)

E-Mail: msdsinfo@fmc.com +1 (651) 632-6793 (All Other Countries - Collect)

2. Hazards identification

Appearance Clear, colorless Aerosolized liquid

Physical state aerosol

Odor No information available.

Potential health effects

Acute effects

Eyes May cause slight irritation.

SkinSubstance may cause slight skin irritation. May cause sensitization by skin contact.InhalationMay cause irritation of respiratory tract. May cause drowsiness and dizziness.

Ingestion Harmful if swallowed. Potential for aspiration if swallowed. May cause central nervous system

depression.

Chronic effects Effects are expected to be similar to those that are seen with acute toxicity. Repeated or prolonged

exposure may cause central nervous system effects. Chronic exposure to aromatic hydrocarbons may

cause liver and kidney damage.

3. Composition/information on ingredients

Hazardous ingredients

Revision Date: 2012-10-10

Version 2

Chemical Name	CAS-No	Weight %
Proprietary material	Proprietary	>75
Naphtha (petroleum), light alkylate	64741-66-8	10-20
Carbon Dioxide	124-38-9	1-5
Deltamethrin	52918-63-5	0.6

4. First aid measures

Eye contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses,

if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for further treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a

poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth

to an unconscious person.

Notes to physician Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a

pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption

and so should be avoided.

5. Fire-fighting measures

Flash Point

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Flame extension: 35". Non-flammable per flame projection test.

not applicable not applicable

NFPA

Health Hazard 0 Flammability 1 Stability 0 Special Hazards -

6. Accidental release measures

Personal precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Environmental precautionsKeep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for cleaning up

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area,

tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed

at a waste water treatment plant.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

Revision Date: 2012-10-10

Version 2

7. Handling and storage

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources

of ignition. Keep out of reach of children and animals. Store in original container only.

8. Exposure controls/personal protection

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbon Dioxide	STEL 30000 ppm	TWA: 5000 ppm TWA: 9000	IDLH: 40000 ppm	
124-38-9	TWA: 5000 ppm	mg/m³	TWA: 5000 ppm TWA: 9000	
			mg/m^3	
			STEL: 30000 ppm STEL:	
			54000 mg/m ³	
Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Proprietary material	TWA: 200 mg/m ³			
	Skin			
Carbon Dioxide	TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000	TWA: 5000 ppm	TWA: 5000 ppm
124-38-9	STEL: 15000 ppm	mg/m³	STEL: 30000 ppm	TWA: 9000 mg/m ³
		STEL: 30000 ppm STEL:		STEL: 30000 ppm
		54000 mg/m ³		STEL: 54000 mg/m ³

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.

Hand protection Protective gloves

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to

eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household

laundry.

9. Physical and chemical properties

Appearance Clear, colorless Aerosolized liquid

Color Clear, colorless

Physical state aerosol

OdorNo information available.pHNo information available.Melting Point/RangeNo information available.Freezing pointNo information available

Revision Date: 2012-10-10

Version 2

Boiling Point/Range not applicable

Flash Point Flame extension: 35". Non-flammable per flame projection test.

Evaporation rate not applicable **Autoignition Temperature** not applicable

Vapor pressureNo information availableVapor densityNo information available

Density 6.69 lb/gal

Water solubility No information available Percent volatile No information available

Partition coefficient: not applicable

Viscosity No information available

Oxidizing properties not applicable

10. Stability and reactivity

Stability Stable.

Conditions to avoid Excessive heat

Hazardous decomposition products None known.

Hazardous polymerization Hazardous polymerization does not occur.

11. Toxicological information

Eye contact Non-irritating

Skin contact Slightly or non-irritating (rabbit)

Ingestion Potential for aspiration if swallowed. Vomiting after ingestion of this product may cause aspiration

of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema.

Inhalation Aerosol expected to be irritating based on components. Inhalation of aromatic hydrocarbon vapors

may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and

mucous membrane irritation.

 $\begin{array}{lll} \textbf{LD50 Dermal} & > 2000 \text{ mg/kg (rat)} \\ \textbf{LD50 Oral} & 500 \text{ } 5000 \text{ mg/kg (rat)} \\ \textbf{LC50 Inhalation:} & > 2 \text{ mg/L (rat)} \\ \end{array}$

Sensitization Sensitizer

Chronic Toxicity - Other Ingredient(s)

Chronic Toxicity Effects are expected to be similar to those that are seen with acute toxicity. Repeated or prolonged

exposure may cause central nervous system effects. Chronic exposure to aromatic hydrocarbons may

cause liver and kidney damage.

Carcinogenicity Not carcinogenic.

Mutagenicity Not mutagenic.

Reproductive toxicity No toxicity to reproduction.

Neurological Effects Neurobehavioral effects (tremors) were observed in studies with animals.

Developmental ToxicityNot teratogenic in animal studies.

Chronic Toxicity - Other Ingredient(s) Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or

feelings (such as numbness), and liver and kidney damage.

Revision Date: 2012-10-10

Version 2

Chemical Name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Carbon Dioxide					respiratory system,CVS

12. Ecological information

Ecotoxicity

Active Ingredient(s)					
Deltamethrin (52918-63-5)	ltamethrin (52918-63-5)				
Active Ingredient(s)	Duration	Species	Value	Units	
Deltamethrin	96 h LC50	Fish	0.00017	mg/L	
	LC50	Mollusk	0.0082	mg/L	
	LD50 Dietary	Mallard duck	8,039	ppm	
	LD50 Oral	Bobwhite quail	>2,250	mg/L	

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Proprietary material		LC50 45 mg/L Pimephales promelas 96 h LC50 2.2 mg/L Lepomis macrochirus 96 h LC50 2.4 mg/L Oncorhynchus mykiss 96 h		LC50 4720 mg/L 96 h
Naphtha (petroleum), light alkylate	30000 mg/L EC50 72 h (Pseudokirchneriella subcapitata)			LC50 2 mg/L 48 h

Environmental Fate

Active Ingredient(s)			
Deltamethrin (52918-63-5)	Deltamethrin (52918-63-5)		
Active Ingredient(s)	Type of Test	Result	
Deltamethrin	Bioconcentration factor (BCF)	189-3,390	
	Stability in water	55-65 hours	

13. Disposal considerations

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot

be disposed of by use according to label instructions, contact appropriate disposal authorities for

guidance.

Contaminated packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the

product label for container disposal instructions.

14. Transport information

DOT USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition

to "Limited Quantity" by 1/1/2014. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping

documents to match the carton mark.

Packaging Type 14 oz. fill

Proper shipping name Consumer Commodity

Revision Date: 2012-10-10

Version 2

Hazard Class ORM-D UN/ID No UN1950

TDG Ship as Limited Quantity. Carton marks include Limited Quantity and Class 9 Diamond.

Proper shipping nameAerosolsHazard Class2.2UN/ID NoUN1950

ICAO/IATA Carton Marks: Limited quantity air, orientation arrows, Class 9 Diamond, Consumer Commodity,

ID8000

UN/ID No ID8000

Proper shipping name Consumer Commodity

Hazard Class 2.2

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

Proper shipping nameAerosolsHazard Class2.2UN/ID NoUN1950EmS No.F-D, S-U

15. Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA Inventory (United States of America)

International Regulations

Mexico - Grade Moderate risk, Grade 2

Chemical Name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Carbon Dioxide	100000	100000 kg/yr

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.



D2B Toxic materials



Revision Date: 2012-10-10

Version 2

16. Other information

Revision Date: 2012-10-10 **Reason for revision:** Initial Release.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation
FMC Logo - Trademark of FMC Corporation

© 2012 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet